

Main Menu

>Format PAL↵
Video Mode 1080P@25↵ CVI
Backlight Mode Off
Image Adjust ↵
Exposure ↵
White Balance Auto
Day/Night Auto↵
Language English
Advanced ↵
Default
Exit

Backlight Mode

>BLC On

Return

Backlight Mode

>WDR 3

Return

Backlight Mode

>HLC 3

Return

Image Adjust

>Image Mode	Standard
Sharpness	7
Brightness	7
Contrast	7
Saturation	7
Chroma	7
Gamma	7
2DNR	7
Return	

Exposure

>Exposure Mode Auto

Exposure Level 7

Anti-flicker Outdoor

Return

Low Noise

>Gain Max Limit 10

Return

Anti-smear

>Shutter Max 40ms

Return

Manual Exposure

>Shutter 1/25

Gain Max Limit 10

Gain Min Limit 0

Return

WB Manual

>Blue Gain 50
Red Gain 50
Return

Day/Night

>Day/Night	6
Night/Day	15
Waiting Time	2
Return	

Advanced

>Camera Name	Off
Mirror	↓
Smart IR	Auto↓
Anti-overexp	2
Voltage Prompt	On↓
Privacy Mask	Off
Coaxial 485	↓
System Info	↓
Return	

Camera Name

>Name ↵

Location ↵

Return

Camera Name

00000000

—

Mirror

>H-Mirror Off

V-Mirror Off

Return

Smart IR

>Level 7

Return

Voltage Prompt

>Alarm Upload On

Return

Privacy Mask

>Area Select 0
 Display On
 Area Setting Location↓
 Default
 Return

Privacy Mask

Area Select 0

Display On

>Area Setting Size↵

Default

Return

Coaxial 485

>Address 1

Application

Return

System Info

Version No. 1.000.0001.5.R

>Return