

Main Menu

>Format	PAL↵
Video Mode	1080P@25↵
Backlight Mode	OFF
Image Adjustment	↵
Exposure	↵
White Balance	Auto
Day/Night	Auto↵
Language	English
Advanced	↵
Reset	
Exit	

Backlight Mode

>HLC

10

Return

Backlight Mode

>H-POS	8
V-POS	7
H-SIZE	3
V-SIZE	3
Return	



Backlight Mode

>WDR

3

Return

Image Adjustment

>Sharpness	5
Contrast	0
Saturation	10
Hue	10
Gamma	1
2DNR	Middle
3DNR	Middle
Return	

Exposure

>Exposure Mode	Auto↵
Exposure Level	10
Gain	10
Slow Shutter	OFF
Return	

White Balance

>C-TEMP	Middle
Red Gain	10
Blue Gain	10
Return	

White Balance

>H-POS	4
V-POS	4
H-SIZE	12
V-SIZE	12
Return	

Day/Night

>Night/Day	5
Day/Night	4
Waiting Time	1
Return	

Advanced

>Camera Title	OFF
Mirror	↵
D-Zoom	1
Smart IR	Auto↵
Defog	OFF
Motion Detection	OFF
Privacy Mask	OFF
RS485 Setup	↵
System Information	↵
Return	

Camera Title

00000000

—

000000

Mirror

>Horizontal Mirror	OFF
Vertical Mirror	OFF
Return	

000000

Smart IR

>Level
Return

2

000000

Defog

>Level
Return

Middle

0000000

Motion Detection

>Area Select
Display
Sensitivity
Area Setup
Restore Default
Return

0
ON
5
Position←

Privacy Mask

>Area Select

0

Display

ON

Area Setup

Position←

Restore Default

Return

0000000

RS485 Setup

>Address 1

Apply

Return

000000

System Information

>Version V1.000.0000.1.R

Return

000000