

Main Menu

>Format	PAL↵
Video Mode	1080P@25↵
Scene Mode	Low light Scene
Backlight Mode	OFF
Image Adjustment	↵
Exposure	↵
White Balance	Auto
Day/Night	Auto↵
Language	English
Advanced	↵
Reset	
Exit	

Backlight Mode


>HLC

10

Return

Backlight Mode

>H-POS	8
V-POS	7
H-SIZE	3
V-SIZE	3
Return	



Backlight Mode

>Level 3
Return

Image Adjustment

>Sharpness	5
Contrast	1
Saturation	10
Hue	10
Gamma	1
2DNR	Middle
3DNR	Middle
Return	

Exposure

>Exposure Mode	Auto↵
Exposure Level	10
Gain	10
Slow Shutter	OFF
Return	

White Balance

>C-TEMP	Middle
Red Gain	10
Blue Gain	10
Return	

Day/Night

>Night/Day	5
Day/Night	2
Waiting Time	1
Return	

Advanced

>Camera Title	OFF
Mirror	↵
D-Zoom	1
ABF	—
Lens Reset	
Lens Type	Manual
Smart IR	Auto↵
Defog	OFF
Audio Mode	OFF
Motion Detection	OFF
Privacy Mask	OFF
Next	↵
Return	

Mirror

>Horizontal Mirror	OFF
Vertical Mirror	OFF
Return	

Smart IR

>Level
Return

2

Motion Detection

>Area Select	0
Display	ON
Sensitivity	5
Area Setup	Position←
Restore Default	
Return	

Privacy Mask

>Area Select	0
Display	ON
Area Setup	Position←i
Restore Default	
Return	

Next

>RS485 Setup



Alarm Setup

ON



Video Output

HD Priority

System Information



Return

RS485 Setup

>Address	1
Baud Rate	9600
Apply	
Return	

Alarm Setup

>Alarm Type	External Alarm 1
Alarm Enable	ON
Alarm Mode	NO
Return	

System Information

>Version V1.000.0000.6.R

Return