

◆ SYSTEM SETTING
DISPLAY SETTING
CAMERA SETTING
FUNCTION SETTING
IR LIGHT SETTING
EXIT

◆ SYSTEM INFORMATION

ADDR INFORMATION

SET NORTH

LANGUAGE : ENGLISH

VIDEO OUTPUT : CVI

FACTORY DEFAULT

RESTART

BACK

EXIT

◆ ADDR	: 1-H
BR	: 9600
PARITY	: NONE
VERSION	: 2. 06. 78. RHCZKHCC
CAM VER	: 2. 400. 0000. 2
BACK	EXIT

◆ ADDR TYPE : HARD

ADDR-HARD : 1

ADDR-SOFT : 1

SAVE

BACK

EXIT

PRESET TITLE	: ON
AZIMUTH DISP	: OFF
POSITION	: OFF
ZOOM DISP	: OFF
◆ INSIDE TEMP	: °C
PATTERN DISP	: ON
RS485 DETECT	: ON
BACK	EXIT

◆ WB SETTING

EXPOSURE SETTING

DAY/NIGHT SETTING

FOCUS SETTING

IMAGE ADJUST

DEFOG SETTING

NEXT PAGE

BACK

EXIT

◆ ZOOM SPEED : 8
SHARPNESS : 8
SHARPNESS RESTRAIN : 8
DIGITAL ZOOM : OFF
PICTURE FLIP : OFF
LENS INIT
NEXT PAGE
BACK EXIT

◆ PICTURE MODE : 1080P/25

CAMERA MAINTAIN : ON

CAMERA FACTORY DEFAULT

CAMERA RESTART

BACK

EXIT

◆ WB MODE : AUTO

R GAIN : 50

B GAIN : 50

BACK EXIT

◆ AE MODE : AUTO

GAIN SETTING : 2

SHUTTER : 1/50

IRIS SETTING : 11

EXPOSURE COMP : 8

BLC : OFF

NEXT PAGE

BACK

EXIT

◆ NR : 8
CAMERA 3D NR : 8
HIGH LIGHT REDUCE : OFF
AE RECOVERY : 15M
WDR SETTING

BACK

EXIT

◆ WDR MODE : ON

BACK

EXIT

◆ DAY/NIGHT

: AUTO

BACK

EXIT

◆ FOCUS MODE : SEMI AUTO

FOCUS LIMIT : AUTO

AF SENSITIVITY : MID

BACK EXIT

◆ HUE	: 50
BRIGHTNESS	: 50
SATURATION	: 50
CHROMA SUPPRESS	: 2
GAMMA	: 8
CONTRAST	: 50
STYLE	: STANDARD
BACK	EXIT

◆ DEFOG MODE : AUTO

INTENSITY : 2

BACK EXIT

◆ PRESET

AUTO PAN

AUTO SCAN

TOUR

PATTERN

IDLE MOTION

NEXT PAGE

BACK

EXIT

◆ PRIVACY MASKING

PTZ SPEED : 2

SET ZERO

POWER UP

MENU PASSWORD

MENU IDLE : 1MIN

NEXT PAGE

BACK

EXIT

◆ PTZ AUTO STOP : 15S

WARM MACHINE

PTZ CORRECTION : OFF

BACK

EXIT

◆ PRESET NO : 1
TITLE : PRESET 1
SETTING
CALL
BACK EXIT

◆ PAN SPEED :5

RUN

STOP

BACK

EXIT

◆ AUTO SCAN NO :1

SET LEFT LIMIT

SET RIGHT LIMIT

SCAN SPEED :5

CALL

STOP

BACK

EXIT

◆ TOUR NO :1

SETTING

DELETE

CALL

STOP

BACK

EXIT

NO	PRESET	DWELL	SPEED
◆ 01	000	015	012
02	000	015	012
03	000	015	012
04	000	015	012
05	000	015	012
06	000	015	012
	BACK	EXIT	

◆ PATTERN NO : 1

PROGRAM START

PROGRAM STOP

CALL

STOP

BACK

EXIT

IDLE FUNCTION : ON

IDLE TIME : 10MIN

◆ IDLE ACTION : PATTERN

PARAMETER : 1

BACK EXIT

◆ PRIVACY NO : 1
ACTIVATE : OFF
SETTING
BACK EXIT

◆ RESIZE

: ↑

SAVE

BACK

EXIT



◆ POWER UP : PATTERN

PARAMETER : 1

BACK EXIT

◆ PASSWORD : OFF

SETTING

BACK

EXIT

PASSWORD:

1 2 3 4 5

6 7 8 9 0

← ENTER ◆ BACK

◆ WARM MACHINE : AUTO

OPEN TEMPERATURE : 3

CLOSE TEMPERATURE : 12

BACK EXIT

◆ IR SENSITIVITY	:4
IRLIGHT CTRL	:ZOOM PRIO
NEAR LIGHT	:45
FAR LIGHT	:45
IRLIGHT COMP	:3
BACK	EXIT