

- < S Y S T E M >

< D O M E >

< C A M E R A >

< L A N G U A G E >

< D I S P L A Y >

< R E S E T >

E X I T

MF G

CAMERA SONY- 9 6 0 0 - 1

PROTOCOL PELCO- D - P

DOME I D 0 0 1

COMM 9 6 0 0 - N - 8 - 1

VERSION HS616 V1 - 0

- EXI T

- < I R D I S P L A Y >

< G U A R D T O U R S >

< A - B S C A N >

< P A N S C A N >

< P A R K A C T I O N >

< A D V A N C E D >

E X I T

- WORKING MODE	AUTO
TESTING TIME	08S
OUTPUT POWER	100
ILLUMINATION ON	02
AMBIENT LIGHT	39
IR SWITCH ZOOM	07
EXIT	

- GUARD TOUR

01

<SETTING>

INIT

CALL

DELETE

EXIT

	I D	P O I N T	T I M E	S P E E D
- 1		0 1	0 6	6 4
2		0 2	0 6	6 4
3		0 3	0 6	6 4
4		0 4	0 6	6 4
5		0 5	0 6	6 4
6		0 6	0 6	6 4
7		0 7	0 6	6 4

- PRESET A	0 1
PRESET B	0 2
SCAN SPEED	0 3
DWELL TIME	0 6 S
CALL	
EXIT	

- P A N S C A N S P E E D 0 5

I N I T

C A L L

E X I T

- P A R K M O D E O F F

P A R K T I M E 0 1 M

< S E T T I N G >

C A L L

D E L E T E

E X I T

PRESET 1 SAVE

- PWR ON MODUL MEMORY

RATIO SPEED ON

AUTO FLIP ON

WI PER MODE OFF

WI PER SPEED 0 3

WI PER TIMES 0 2

< OTHERS >

EXI T

- D I G I T A L Z O O M O F F

F O C U S M A N U A L

I R I S M A N U A L

B L C O F F

E X I T

- LANGUAGE

ENGLISH

EXIT

- SYSTEM	25 HZ
P AND T	OFF
ACTION	ON
EXIT	

- < DOME RESTART >

< SYS DATA >

< CAM DATA >

< PRESET >

EXI T